Interface	Quick Start	Interface Setup	Advanced Setup	Access Management	Maintenance	Status	Help
	Internet	LAN	Wireles				
РРРоЕ/РРРоА		- C.	O Bridge Mod	le			
		Username : Password :	abc@adsl.isp	o.com			
Connection Setting		Encapsulation :	PPPoA VC-Mu	x 💌			
	т	Connection :	Always Or Connect O TCP MSS(0 mes	n (Recommended) n-Demand (Close if idle	for 0 minute	es)	
IP Address	1	Get ID Address :		Duponcia	Lipytes		
	St	atic IP Address :	0.0.0.0	Dynamic	1.	. Change the	e MTU
		P Subnet Mask : Gateway :	0.0.0.0				
		NAT : Default Route :	Enable Ves ON	lo			
	1	CP MTU Option : Dynamic Route :	TCP MTU(0 mea	ns use default) 0 rection Both 🛛 🔽	bytes		



## 3. Click on the 'Maintenentce' tab.

Maintenance	Quick Inter Start Se	rface Advanced tup Setup	Access Management	Mainten	ance Status	Help
	Administration	Time Zone	Firmware Sy	sRestart	Diagnostics	
System Restart						
	System Re:	start with : 💿 Current S	ettings			
		Microsoft Intern	net Explorer 🛛 🗙			
		Reboot	Complete			
			ж			